

Volvo Ironmongery Specification

2016



Typical Set Type

01 Male Toilet

02 Female Toilet

03 Disabled WC/Baby Change

04 Push Pull FD Circulation

05 Consultation/Sales Manager/Office NFR

06 Cleaner/store



IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 1 of 6

Ironmongery Set 01 Male Toilet

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1	Ea	KS2108 Satin Stainless Steel Slimline d line Overhead Door Closer With Adjustable Power 2 - 5, Hydraulic Back-Check and Delayed Action, Tested And CE Marked To BS EN1154 & 60 Min FD Certifire 25 Year Guarantee
1	Ea	KS3626 d line 90mm Premium Mortice Bathroom Lock With Stainless Steel Forend & Strike Plate. 8mm Self Adjusting Follower 60mm. Tested And Certificated To BS PR EN 12209
1	Pair	KS0416 d line 14mm L Lever Handle Satin Stainless Steel Complete With Roses With Ball Bearings & Concealed Snap On Covers 8x8mm Spindle cc 30/38mm
1	Set	KS3475 d line Satin Stainless Steel WC Indicator And Thumb-Tum With Bolt Through Fixings
1	Ea	KS5600 d line Stainless Steel Coat Hook 254 x 21mm Diameter.
1	Ea	KS6081 950 x 150mm x 1.2mm (nominal Sizes To Be Confirmed) d line Finish Satin Stainless Steel Kick Plate Drilled & Csk
1	Ea	KS8686 76mm Dia d line Frosted Acrylic Male Sex Symbol
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 01 Male Toilet

IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 2 of 6

Ironmongery Set 02 Female Toilet

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1	Ea	KS2108 Satin Stainless Steel Slimline d line Overhead Door Closer With Adjustable Power 2 - 5, Hydraulic Back-check And Delayed Action, Tested And CE Marked To BS EN1154 & 60 Min FD Certifire 25 Yr Guarantee
1	Ea	KS3626 d line 90mm Premium Mortice Bathroom Lock With Stainless Steel Forend & Strike Plate. 8mm Self Adjusting Follower 60mm. Tested And Certificated To BS PR EN 12209
1	Pair	KS0416 d line 14mm L Lever Handle Satin Stainless Steel Complete With Roses With Ball Bearings & Concealed Snap On Covers 8x8mm Spindle cc 30/38mm
1	Set	KS3475 d line Satin Stainless Steel WC Indicator And Thumb-turn With Bolt Through Fixings
1	Ea	KS5600 d line Stainless Steel Coat Hook 254 x 21mm Diameter.
1	Ea	KS6081 950 x 150mm x 1.2mm (nominal Sizes To Be Confirmed) d line finish Satin Stainless Steel Kick Plate Drilled & Csk
1	Ea	KS8687 76mm Dia d line Frosted Acrylic Female Sex Symbol
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 02 Female Toilet

IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 3 of 6

Ironmongery Set 03 Disabled WC/Baby Change

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1	Ea	KS3626 d line 90mm Premium Mortice Bathroom Lock With Stainless Steel Forend & Strike Plate. 8mm Self Adjusting Follower 60mm. Tested And Certificated To BS PR EN 12209
1	Pair	KS0416 d line 14mm L Lever Handle Satin Stainless Steel Complete With Roses With Ball Bearings & Concealed Snap On Covers 8x8mm Spindle cc 30/38mm
1	Set	KS3478 d line Satin Stainless Steel Disabled WC. Indicator And Thumb-turn With Bolt Through Fixings Grade 316 Danish Design
1	Ea	KS4144 600 X 32mm Dia Stainless Steel Face Fixed Grab Handle For Back Of Door Horizontal
2	Ea	KS6081A 950 X 220mm X 1.2mm (nominal Sizes To Be Confirmed) d line Finish Satin Stainless Steel Kick Plate Drilled & Csk For Disabled /Baby Change Door
1	Ea	KS8689 76mm Dia d line Frosted Acrylic Disabled Symbol
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 03 Disabled WC/Baby Change

IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 4 of 6

Ironmongery Set 04 Push Pull FR Circulation

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1.5	Pr	KS1007.02 100 X 29 X 1mm Intumescent Square Edge Hinge Pad Self Adhesive 1 Hour Fire Rated
1	Ea	KS2108 Satin Stainless Steel Slimline d line Overhead Door Closer With Adjustable Power 2 - 5, Hydraulic Back-check And Delayed Action, Tested And CE Marked To BS EN1154 & 60 Min FD Certifire 25 Yr Guarantee
1	Ea	KS4045 425 X 19mm d line Satin Stainless Steel Pull Handle With Bolt Thro. Fixing Bolts
1	Each	KS6063 650 X 75mm d line Satin Stainless Steel Finish Push Plate Drilled & Csk
1	Ea	KS6081 950 x 150mm x 1.2mm (nominal Sizes To Be Confirmed) d line finish Satin Stainless Steel Kick Plate Drilled & Csk
2	Ea	KS8081 76mm Satin Stainless Steel Fire Door Keep Shut Symbol
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 04 Push Pull FD Circulation

IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 5 of 6

Ironmongery Set 05 Consultation/Sales Manager/Office NFR

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1	Ea	KS3662 d line 90mm Premium Euro Profile Cylinder Mortice Lock Case With Stainless Steel Forend & Strike Plate.8mm Self Adjusting Follower 60mm. Tested And Certificated To BS EN12209
1	Ea	KS3006MK Euro Profile 70mm SC Cylinder & Thumb-turn 2 Keyed En-Suite To Master Key
1	Pair	KS0416 d line 14mm L Lever Handle Satin Stainless Steel Complete With Roses With Ball Bearings & Concealed Snap On Covers 8x8mm Spindle cc 30/38mm
2	Ea	KS3435 d line Satin Stainless Steel Euro Profile Cylinder Escutcheon With Concealed Fixings
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 05 Consultation/Sales Manager/Office NFR

IRONMONGERY SCHEDULE

Project : Volvo Standard Specification
Reference : K1187

Date : 03 February 2016
Page : 6 of 6

Ironmongery Set 06 Cleaner/Store

1.5	Pr	KS1020 100 X 75mm d line Hi-load Satin Stainless Steel Shrouded Butt Hinge BSEN Grade13 Certifire Self Lubricating 25 Year Guarantee
1	Ea	KS3624 d line 90mm Premium Euro Profile Cylinder Mortice Deadlock Case With Stainless Steel Forend & Strike Plate. Tested And Certificated To BS EN12209
1	Ea	KS3006MK Euro Profile 70mm SC Cylinder & Thumb-turn 2 Keyed En-Suite To Master Key
1	Ea	KS3435 d line Satin Stainless Steel Euro Profile Cylinder Escutcheon With Concealed Fixings
1	Ea	KS9092 Satin Stainless Steel d line Euro Profile Cylinder Pull
1	Ea	KS6081 950 x 150mm x 1.2mm (nominal Sizes To Be Confirmed) d line finish Satin Stainless Steel Kick Plate Drilled & Csk
1	Ea	KS8082 76mm Satin Stainless Steel Fire Door Keep Locked Symbol
1	Ea	KS5070 d line Satin Stainless Steel Floor Door Stop

Ironmongery Set 06 Cleaner/Store



d line
Ikons
BASE

d line performance guarantee 2013



d line as

Performance Guarantee

Albertslund, August 2012

1. Which products

The performance guarantee from d line applies to goods branded under the following trademarks:

d line
Ikons by d line
BASE by d line

2. Performance guarantee period is as follows

20 years

d line - Hardware and Bathroom

15 years

Ikons by d line – steel and brass levers

10 years

BASE by d line – Hardware and Bathroom

5 years

d line Advanced Hardware
d line Washroom (hand dryers 2 years)
BASE by d line – Adv. Hardware
Ikons by d line – wood levers

The performance guarantee period shall begin on the day the product was purchased by the original owner.

3. Content of the Performance Guarantee

The d line Performance Guarantee relates to the durability of properly used d line products within the guarantee period and applies to the function of the product and covers material defects, which can be proved by the guarantee claimant to have been caused by a fault in manufacturing or material.

d line or an authorized d line dealer will, free of charge, repair the product or, at its option, replace a defect product component. If the product is no longer available, a replacement product which d line deems comparable in terms of quality or function will be delivered. Registration is not required for Performance Guarantee coverage.

The Performance Guarantee does not cover all interchangeable parts, such as screws, spindles, snap locks etc. Furthermore the Performance Guarantee does not cover electrical or mechanical parts.

No liability will be assumed for any damage caused through:

- a. Modification of the product, unless authorized by d line
- b. Unsuitable and improper use
- c. Incorrect or negligent treatment
- d. Disregard of installation, handling, maintenance or operation instructions
- e. The product has been subject to unusual physical stress, misuse, negligence, chemical agent or accident.

d line disclaims any responsibility for incidental or consequential damage. Some jurisdictions (countries, provinces or states) do not allow exclusion or limitation of implied warranties, incidental or consequential damage and/or limitation and transferability, so the above limitation or exclusion may not apply to you.

4. Limitation of liability

d line's liability for breach of warranty or any claim in respect of any defect of the product shall be limited to repair or replacement of the defective goods or at the Company's discretion the price of the product paid. Some jurisdictions (countries, provinces or states) do not allow limitation of liability, so this limitation may not apply to you.

5. How and when to make a warranty claim

In case of warranty returns the product must be sent to an authorized d line distributor in the country where the product has been bought by the original owner. For location of an authorized d line dealer in your area, please consult the retailer where you purchased the product or see www.dline.com. Only if the relevant d line distributor does no longer exist, the user can contact d line directly at info@dline.com or at our company address listed on www.dline.com.

This warranty declaration offers the original owner specific legal rights, and you may have other rights which vary from country to country, province to province and state to state. For any term of this warranty which is prohibited by the law of any jurisdiction, such term shall be null and void, but the remainder of this warranty provision shall remain in full force and effect.

6. Choice of law and venue

All claims arising out of this warranty declaration must be decided by the Maritime and Commercial Court of Copenhagen exclusively. The warranty declaration shall be governed by Danish law, exclusive of Danish law on conflicts of laws.

No provisions of this warranty declaration will adversely affect the statutory rights of any customer.